

HIGH POWER OUTDOOR SOUNDER

DESCRIPTION

- Amplified sounder for scheduled ringing and Safety an Emergency Procedure for outdoor use.
- DHF wireless control by Sigma master clock.
- 16 pre-recorded melodies stored in the internal memory of the product and/or a SD card.
- 2 LED indicators give the status of the sounder:
 - LED «~» indicates that the sounder is powered up.
 - LED «Ψ» is on during the communication with master clock in DHF mode.
- The volume can be adjusted on each device and for each melody.
- Consists of one (or two) horn type loudspeaker and one remote control unit.



See the product page
>> www.bodet-time.com <<



NORMS

- R&TTE directive 1999/5/EEC.
- EN 60950: Safety of information technology equipment.
- EN 301-489-3: EMC of radio equipment (emission and immunity).
- EN 300-220-3: Correct use of radio spectrum.

MODELS

- **2 models with DHF control**..... MELODYS DHF 1 HP: control of a melody selected among 16 by the Sigma Mod or Sigma and broadcasted by one horn loudspeakers.
MELODYS DHF 2 HP: control of a melody selected among 16 by the Sigma Mod or Sigma and broadcasted by two horn loudspeakers.

TECHNICAL FEATURES

- **Melodies**..... 16 pre-recorded melodies.
- **Test mode**..... The choice of the melody.
- **Amplifier**..... Integrated amplifier with volume control.
- **Digital format of the audio files**..... MP3.
- **SD CARD**..... Formatted FAT 16. 2 GB maximum.
- **Duration of a melody**..... Variable depends on the recording.
- **Display**..... The number of the melody being played.
- **Loudspeaker**..... High power horn type loudspeaker for the outdoor.

MECHANICAL FEATURES

- **Construction**..... White ABS fire retardant casing (RAL9010). (IP 54).
- **Protection index**..... Loudspeaker IP 54 - Control unit IP 54, IK 08.
- **Operating temperature range**..... -30° to +85°C.
- **Weight**..... Loudspeaker 1.7 kg - Control unit 0.6 kg.
- **Dimensions**..... Loudspeaker H254 x Ø 203 mm - Control unit H78 x L220 x D154 mm.

ELECTRICAL FEATURES

- **Power consumption**..... 6 VA.
- **Adjustable sound level**..... 110db maximum at 1 metre.
- **Maximum distance between control unit and loudspeaker(s)**..... 40 metres.

REFERENCES

- **907 574**..... DHF high power outdoor MELODYS 100 à 240VAC
- **907 584**..... 2-Loudspeaker DHF high power outdoor MELODYS 100 à 240VAC
- **508 474**..... SD card for S.E.P. and custom melodies



HIGH POWER OUTDOOR SOUNDER

Loudspeakers:



Sounder keyboard inside the control unit:

