



Sequence




- » Microporous cleanable plain white finish
- » Very high sound absorption, Class A
- » Suitable for use within HTM 60 categories 2-6 in Healthcare environments
- » 100% relative humidity
- » Lightweight, easily demountable
- » A2 fire classification
- » Economical
- » Range of edge details and sizes
- » Also available in black

**SOFT FIBRE** 

- +44 (0)1455 618 787
- enquiries@burgesscep.com
- Brookfield Road, Hinckley LE10 2LL
- Verulam Road, Stafford ST16 3EA

WWW.BURGESSCEP.COM



Manufactured from a lightweight soft fibre board, the Sequence range offers outstanding levels of sound absorption and excellent resistance to high humidity, with a crisp clean white appearance. The resilient nature of the product makes it especially suitable for use in leisure and circulation areas, where impact resistance can be an issue.

Sequence can also be used within healthcare buildings, it is compliant with HTM 60 categories 2-6 and can enable compliant with HTM 08-01 acoustic guidance.








Module Size	Grid Panel	Standard Tegular
600×600	G1050	G1060
1200×600	G1051	_





Module Size	Fine Tegular	Shiplap T24
600x600	G1070	G1080
1200x600	-	-





# SOUND ABSORPTION

Class A in accordance with EN ISO 11654. ∂w: 1.00 in accordance with EN ISO 11654. Noise Reduction Coefficient (NRC): 0.90 in accordance with ASTM C 423-01.



### **FIRE PERFORMANCE**

Euroclass A2-s1, d0 in accordance with EN 13501-1.



Suitable in conditions up to 100% relative humidity at 30°C.



### **PRODUCT WEIGHT**

These tiles weigh approximately 2kg



### TILE LOADING

These tiles are not designed to support the weight of any services. Please contact us for grid loading data.





These tiles are easily demounted.



These tiles are capable of being recycled, please contact us for full details.



## **CLEANING & HYGIENE**

These tiles can be easily cleaned. Contact us for cleaning guidelines.