

ACCESS PANEL




ISO 9001:2000 CERTIFIED



CARTEL
MANUFACTURING CO.

ACCESS PANEL



Cartel manufactures a range of Access Panels to meet demanding Ceiling and wall applications. Our access panels meet customer specified need to provide an effective and unobtrusive solution. They are designed to allow easy access to voids and cavities where services, controls, piping, electronics, etc. need to be accessible for maintenance or emergency work.

The access panel frame consists of powder coated extruded aluminium alloy frame 6063-T6, with regular/fire resistant or moisture resistant gypsum board ranging with a thickness from 12mm up to 25 mm.

Product Features:

- Strong aluminium frame and hardware
- 12mm moisture resistant inlay.
- Concealed touch latch standard on all doors.
- Removable door panel with safety cable.
- Mounting screws enclosure.



HIGH QUALITY ACCESS PANEL



Features:

- ◆ For ceiling
- ◆ Gypsum board inlay: 125mm regular and moisture resistant board.
- ◆ Frame and flap produced from sturdy aluminium profiles
- ◆ Framing also available in white coating
- ◆ Easy opening: just apply pressure to the flap on the lock at the corners
- ◆ Easy shutting: when the flap is pressed back into the locks again

STANDARD SIZE	
300	300
350	350
400	400
450	450
500	500
600	600
600	800
600	1200
1000	1000



ACCESS PANEL STANDARDS SIZES

200 mm x 200 mm
300 mm x 300 mm
400 mm x 400 mm
450 mm x 450 mm
500 mm x 500 mm
600 mm x 600 mm

700 mmx700 mm
800 mm x 800 mm
900 mm x 900 mm
1000 mmx1000 mm
1200 mm x 1200 mm

We also produce custom made access panels with different sizes according to the requirements

Advantages

- ◆ Functional access in ceilings
- ◆ Easy installation
- ◆ Consistent continuous surfaces
- ◆ Superior sound barrier
- ◆ Architecturally pleasing finishes
- ◆ Virtually invisible access.

Packing

Two pieces per Carton

CARTEL MANUFACTURING CO. L.L.C.

Tel: +971 4 885 3999

Fax: +971 4 885 3998

P.O. Box: 37010, Dubai, U.A.E.

E-mail: info@cartelmn.com

Website: www.cartelmn.com

