




10AX Plate Switches



Range of Simply Stylish Wiring Accessories

Designed to provide a competitive, cost effective equivalent range of white moulded accessories with a sleek, slim design creating a modern aesthetic.

Manufactured from Polycarbonate with reinforced interior plates to ensure every product is robust, strong, durable and UV stabilised so that signs of ageing is not a problem.

10AX Plate Switches

Product Range

10AX Single Pole 1 Way Plate Switches

CPC801	10AX 1 Gang SP 1 Way Plate Switch
CPC802	10AX 2 Gang SP 1 Way Plate Switch
CPC803	10AX 3 Gang SP 1 Way Plate Switch
CPC827	10AX 1 Gang SP 1 Way Plate Switch With "Bell" Legend



CPC801



CPC802



CPC803



CPC827

10AX Plate Switches

Product Range

10AX Single Pole 2 Way Switches

CPC811	10AX 1 Gang SP 2 Way Plate Switch
CPC811N	10AX 1 Gang SP 2 Way Plate Switch With Decorative Insert
CPC812	10AX 2 Gang SP 2 Way Plate Switch
CPC812N	10AX 2 Gang SP 2 Way Plate Switch With Decorative Insert
CPC813	10AX 3 Gang SP 2 Way Plate Switch
CPC813N	10AX 3 Gang SP 2 Way Plate Switch With Decorative Insert
CPC814	10AX 4 Gang SP 2 Way Plate Switch
CPC814N	10AX 4 Gang SP 2 Way Plate Switch With Decorative Insert

10AX Single Pole Intermediate Switch

CPC825	10AX 1 Gang SP Intermediate Plate Switch
---------------	--



CPC811, CPC825



CPC812



CPC813



CPC814



CPC811N



CPC812N



CPC813N




CPC814N


10AX Plate Switches

Product Dimensional Drawings (mm)


CPC801, CPC811





CPC802, CPC812




CPC803, CPC813




CPC814




CPC811N





CPC812N





CPC813N





CPC814N



CPC825




CPC827




10AX Plate Switches

Product Wiring Diagram


1 Way Switched Circuit



2 Way Switched Circuit



Intermediate Switched Circuit



10AX Plate Switches

Technical Specification

10AX Plate Switches

Material Composition	Front Plate, Switch & Decorative Lens: Polycarbonate Insert & Base: Polycarbonate Terminals: Brass Plated Steel Terminal Screws: Steel and Yellow Passivated Internal Mechanism: Formed Press Brass Silver "On-lay" Copper / Brass Contacts
Voltage	250V~ 50Hz
Current Rating	10AX (suitable for inductive loads)
Terminal Screw	3.0mm \varnothing
Torque Value	0.8Nm
Terminal Capacity	2 x 4mm ²
Fixing Centres	60.3mm
Back Box Depth	35mm
Warranty	10 Years Domestic
Operational Temperature	-5° to +40°C
Standards	The Low Voltage Directive 2014/35/EU BS EN 60669-1: 1999 +A1: 2002 +A2: 2008

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.



EU DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Seera Range
 - a. *Group* 10AX Plate Switches
 - b. *Model No.* CPC801, CPC802, CPC803, CPC811, CPC811N, CPC812, CPC812N,
CPC813, CPC813N, CPC814, CPC814N, CPC825 & CPC827

4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*

The Low Voltage Directive 2014/35/EU

5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS EN 60669-1: 1999 +A1: 2002 +A2: 2008

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited

A handwritten signature in blue ink, appearing to read "Karl Rawlins".

Karl Rawlins – Senior Technical Support Engineer