

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 4K DALI WHT CBEZ
2058949



Product features

- MYRD IP FL 4K DALI WHT CBEZ



PRODUCT OVERVIEW

IPC Code	2058949
Product name	MYRD IP FL 4K DALI WHT CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	98
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	1
Average life (Nominal) (h)	50000
Housing colour	White Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589494
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2058949
Product name	MYRD IP FL 4K DALI WHT CBEZ
Technology	LED
Housing	Aluminium

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 4K DALI WHT CBEZ
2058949

Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	977
Luminaire efficacy (lm/W)	98
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	46
Distribution type	Direct
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	1
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

Housing colour	White Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	White Trim Chrome Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72


Packaging

Single packaging type	Carton
Product EAN number	5025768589494
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768589494

Myriad V LED - IP65 Glass Chrome Bezel MYRD IP FL 4K DALI WHT CBEZ 2058949

Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



Distance [m]	Cone diameter [m]	E _{0°} [lx]	E _{17.6°} [lx]	E _{35.2°} [lx]
0.5	0.32	8388	3641	910
1.0	0.63	2096	910	228
1.5	0.95	932	405	104
2.0	1.27	524	238	61
2.5	1.59	335	148	38
3.0	1.90	233	101	26

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 35.2°)


TECHNICAL DRAWINGS




Dimensions (mm)


Myriad V LED - IP65 Glass Chrome Bezel MYRD IP FL 4K DALI WHT CBEZ 2058949


Concord 2058949


 This luminaire contains built in LED lamps.

 } **LED**


The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

Concord 2058949  874/2012