

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 2.7K PHDM BLK CBEZ
2058952



Product features

- MYRIAD IP65 SPOT 2700K Phase dimmable with black reflector and chrome bezel



PRODUCT OVERVIEW

IPC Code	2058952
Product name	MYRD IP ST 2.7K PHDM BLK CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	1241
Luminaire efficacy (lm/W)	124
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Beam Angle (°)	28
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	10
Average life (Nominal) (h)	50000
Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589524
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2058952
Product name	MYRD IP ST 2.7K PHDM BLK CBEZ
Technology	LED

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 2.7K PHDM BLK CBEZ
2058952

Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW008
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1241
Luminaire efficacy (lm/W)	124
LOR (%)	100
Colour temperature (K)	2700
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	28
Distribution type	Direct
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	10
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data

Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Black Trim Chrome Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72


Packaging

Single packaging type	Carton
Product EAN number	5025768589524
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5

Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 2.7K PHDM BLK CBEZ 2058952

DUN14 (outer)	05025768589524
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5


PHOTOMETRY



Distance [m]	Cone diameter [m]	E(0°) E(C0)	14.4° E(C0)
0.5	0.28	14053	6419
1.0	0.51	3513	1656
1.5	0.77	1561	713
2.0	1.03	878	401
2.5	1.28	582	267
3.0	1.54	390	178

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 23.8°)


TECHNICAL DRAWINGS




Dimensions (mm)


Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 2.7K PHDM BLK CBEZ 2058952


Concord 2058952


 This luminaire contains built in LED lamps.

 } **LED**


The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

Concord 2058952  874/2012