

## Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 4K DALI BLK CBEZ  
2058961



### Product features

- MYRD IP ST 4K DALI BLK CBEZ



## PRODUCT OVERVIEW

IPC Code	2058961
Product name	MYRD IP ST 4K DALI BLK CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001744
Fixture luminous flux (lm)	1132
Luminaire efficacy (lm/W)	113
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Beam Angle (°)	28
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	1
Average life (Nominal) (h)	50000
Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589616
Included lamp	INTEGRATED LED

## DATA TABLE

### General data

IPC Code	2058961
Product name	MYRD IP ST 4K DALI BLK CBEZ
Technology	LED
Housing	Aluminium

## Myriad V LED - IP65 Glass Chrome Bezel

*MYRD IP ST 4K DALI BLK CBEZ*  
2058961

Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW008
ETIM Class	EC001744

### Optical data

Fixture luminous flux (lm)	1132
Luminaire efficacy (lm/W)	113
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	28
Distribution type	Direct
Photobiological Risk Group	-

### Electrical data

Total power consumption (W)	10
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	1
Nominal Frequency (Hz)	50/60Hz

### Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

### Physical data

Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Black Trim Chrome Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	0.44
Recessed Depth (mm)	72

### Packaging

Single packaging type	Carton
Product EAN number	5025768589616
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768589616

## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 4K DALI BLK CBEZ 2058961


Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

### PHOTOMETRY


0.5	0.25	E(0°) E(C0)	14.2°	12993 5652
1.0	0.51	E(0°) E(C0)	14.2°	3096 1421
1.5	0.76	E(0°) E(C0)	14.2°	1377 631
2.0	1.01	E(0°) E(C0)	14.2°	775 355
2.5	1.27	E(0°) E(C0)	14.2°	496 227
3.0	1.52	E(0°) E(C0)	14.2°	344 156

Distance [m]      Cone diameter [m]      Illuminance [lx]

— C0 - C180 (Half beam angle: 28.4°)





### TECHNICAL DRAWINGS




## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 4K DALI BLK CBEZ 2058961


**Concord** 2058961


 This luminaire contains built in LED lamps.

 } **LED**


The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

**Concord** 2058961  874/2012