


## Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP ST 4K DALIEM BLK CBEZ  
2058963



### Product features

- MYRD IP ST 4K DALIEM BLK CBEZ



## PRODUCT OVERVIEW

|                                |  |
|--------------------------------|--|
| IPC Code                       | 2058963  |
| Product name                   | MYRD IP ST 4K DALIEM BLK CBEZ                    |
| Technology                     | LED  |
| Housing                        | Aluminium  |
| Mount                          | Ceiling recessed                                 |
| Environment                    | Integral   |
| General application            | Hospitality,Office,Retail,Residential & Consumer |
| Certifications                 | EUNEW001   |
| ETIM Class                     | EC001744   |
| Fixture luminous flux (lm)     | 1132   |
| Luminaire efficacy (lm/W)      | 94   |
| LOR (%)                        | 100  |
| Colour temperature (K)         | 4000   |
| CRI (Ra)                       | 85   |
| Beam Angle (°)                 | 28   |
| Photobiological Risk Group     | -  |
| Luminous flux (emergency) (lm) | 344  |
| Total power consumption (W)    | 12   |
| Electrical protection          | Class II   |
| Control gear type              | Electronic                                       |
| Minimum dimming level (%)      | 1  |
| Average life (Nominal) (h)     | 50000  |
| Housing colour                 | Black Trim                                       |
| IP rating                      | IP65   |
| IK rating                      | IK02   |
| Product EAN number             | 5025768589630                                    |
| Luminous flux (emergency) (lm) | 344  |
| Included lamp                  | INTEGRATED LED                                   |

## DATA TABLE

### General data

|          |         |
|----------|---------|
| IPC Code | 2058963 |
|----------|---------|

## Myriad V LED - IP65 Glass Chrome Bezel

*MYRD IP ST 4K DALIEM BLK CBEZ*  
2058963

|                                  |  |
|----------------------------------|--|
| Product name                     | MYRD IP ST 4K DALIEM BLK CBEZ                    |
| Technology                       | LED  |
| Housing                          | Aluminium  |
| Mount                            | Ceiling recessed                                 |
| Environment                      | Integral   |
| General application              | Hospitality,Office,Retail,Residential & Consumer |
| Operating temperature rated (°C) | 25   |
| Certifications                   | EUNEW001   |
| ETIM Class                       | EC001744   |

### Optical data

|                                |        |
|--------------------------------|--------|
| Fixture luminous flux (lm)     | 1132   |
| Luminaire efficacy (lm/W)      | 94     |
| LOR (%)                        | 100    |
| Colour temperature (K)         | 4000   |
| CRI (Ra)                       | 85     |
| Adjustable chromaticity        | N      |
| Beam Angle (°)                 | 28     |
| Distribution type              | Direct |
| Photobiological Risk Group     | -      |
| Luminous flux (emergency) (lm) | 344    |
| Emergency duration (h)         | 3      |

### Electrical data

|                             |            |
|-----------------------------|------------|
| Total power consumption (W) | 12         |
| Mains voltage (V)           | 230-240V~  |
| Electrical protection       | Class II   |
| Control gear type           | Electronic |
| Transformer required        | Yes        |
| Minimum dimming level (%)   | 1          |
| Nominal Frequency (Hz)      | 50/60Hz    |

### Lifetime data

|                             |       |
|-----------------------------|-------|
| Lumen maintenance - L70 B50 | 50000 |
| Average life (Nominal) (h)  | 50000 |

### Physical data

|                               |                         |
|-------------------------------|-------------------------|
| Housing colour                | Black Trim              |
| IP rating                     | IP65                    |
| IK rating                     | IK02                    |
| Diffuser finish               | Black Trim Chrome Bezel |
| Reflector finish              | Aluminium               |
| Nominal Product Height (mm)   | 72                      |
| Nominal Product Diameter (mm) | 90                      |
| Weight (kg)                   | 1.44                    |
| Recessed Depth (mm)           | 72                      |





### Packaging

|                       |        |
|-----------------------|--------|
| Single packaging type | Carton |
|-----------------------|--------|


## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 4K DALIEM BLK CBEZ 2058963

|                                       |                |
|---------------------------------------|----------------|
| Product EAN number                    | 5025768589630  |
| Packaging single length / height (cm) | 17.5           |
| Packaging single width (cm)           | 15.0           |
| Packaging single depth (cm)           | 17.5           |
| DUN14 (outer)                         | 05025768589630 |
| Units per outer package               | 1              |
| Packaging outer length / height (cm)  | 17.5           |
| Packaging outer width (cm)            | 15.0           |
| Packaging outer depth (cm)            | 17.5           |

### PHOTOMETRY





### TECHNICAL DRAWINGS




## Myriad V LED - IP65 Glass Chrome Bezel MYRD IP ST 4K DALIEM BLK CBEZ 2058963


**Concord** 2058963


 This luminaire contains built in LED lamps.

 } **LED**


The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

**Concord** 2058963  874/2012