

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 2.7K DALIEM BLK CBEZ
2058967



Product features

- MYRD IP FL 2.7K DALIEM BLK CBEZ



PRODUCT OVERVIEW

IPC Code	2058967
Product name	MYRD IP FL 2.7K DALIEM BLK CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality, Office, Retail, Residential & Consumer
Certifications	EUNEW001
ETIM Class	EC001744
Fixture luminous flux (lm)	1128
Luminaire efficacy (lm/W)	94
LOR (%)	100
Colour temperature (K)	2700
Light colour	Amber White
CRI (Ra)	85
Beam Angle (°)	46
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	307
Total power consumption (W)	12
Electrical protection	Class II
Control gear type	Electronic
Minimum dimming level (%)	1
Average life (Nominal) (h)	50000
Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Product EAN number	5025768589678
Lamps	Yes
Included lamp	INTEGRATED LED

DATA TABLE

General data

Myriad V LED - IP65 Glass Chrome Bezel

MYRD IP FL 2.7K DALIEM BLK CBEZ
2058967

IPC Code	2058967
Product name	MYRD IP FL 2.7K DALIEM BLK CBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed
Environment	Integral
General application	Hospitality,Office,Retail,Residential & Consumer
Operating temperature rated (°C)	25
Certifications	EUNEW001
ETIM Class	EC001744

Optical data

Fixture luminous flux (lm)	1128
Luminaire efficacy (lm/W)	94
LOR (%)	100
Colour temperature (K)	2700
Light colour	Amber White
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	46
Distribution type	Direct
Photobiological Risk Group	-
Luminous flux (emergency) (lm)	307
Emergency duration (h)	3

Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Control gear type	Electronic
Transformer required	Yes
Minimum dimming level (%)	1
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
Average life (Nominal) (h)	50000

Physical data


Housing colour	Black Trim
IP rating	IP65
IK rating	IK02
Diffuser finish	Black Trim Chrome Bezel
Reflector finish	Aluminium
Nominal Product Height (mm)	72
Nominal Product Diameter (mm)	90
Weight (kg)	1.44
Recessed Depth (mm)	72

Myriad V LED - IP65 Glass Chrome Bezel MYRD IP FL 2.7K DALIEM BLK CBEZ 2058967

Packaging

Single packaging type	Carton
Product EAN number	5025768589678
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768589678
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY




Distance [m]	Cone diameter [m]	E _{0°} [lx]	E _{18.9°} [lx]
0.5	0.34	2390	1019
1.0	0.68	599	254
1.5	1.03	266	113
2.0	1.37	149	63
2.5	1.71	98	41
3.0	2.05	66	28


Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 37.5°)

Distance [m]	Cone diameter [m]	E _{0°} [lx]	E _{18.9°} [lx]
0.5	0.34	8783	3752
1.0	0.68	2196	932
1.5	1.03	978	415
2.0	1.37	549	233
2.5	1.71	351	149
3.0	2.05	244	104

Distance [m] Cone diameter [m] Illuminance [lx]
C0 - C180 (Half beam angle: 37.5°)





TECHNICAL DRAWINGS




Myriad V LED - IP65 Glass Chrome Bezel
MYRD IP FL 2.7K DALIEM BLK CBEZ
2058967


Concord 2058967


 This luminaire contains built in LED lamps.

 } **LED**


The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

Concord 2058967  874/2012