


Myriad V Solid State Pendant - Silver - Remote Gear

MYRIAD PENDANT 4000K REMOTE PHDIM SIL
2049588



Product features

- High-end architectural (4000K) neutral white LED pendant with Phase dimmable driver and remote gear housing, finished in a silver finish (RAL9006)



PRODUCT OVERVIEW

IPC Code	2049588
Product name	MYRIAD PENDANT 4000K REMOTE PHDIM SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743
Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109.3
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10

Myriad V Solid State Pendant - Silver - Remote Gear

MYRIAD PENDANT 4000K REMOTE PHDIM SIL
2049588

Electrical protection	Class II
Control gear mounting	Remote
Dimmable	Yes
Housing colour	Silver
IP rating	IP20
IK rating	IK02
Product EAN number	5025768495887
Included lamp	INTEGRATED LED

DATA TABLE

General data

IPC Code	2049588
Product name	MYRIAD PENDANT 4000K REMOTE PHDIM SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW008
ETIM Class	EC001743

Optical data

Fixture luminous flux (lm)	1093
Luminaire efficacy (lm/W)	109.3
LOR (%)	100
Colour temperature (K)	4000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Remote
Dimmable	Yes
Drive current (mA)	250
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	Silver
IP rating	IP20
IK rating	IK02



Myriad V Solid State Pendant - Silver - Remote Gear MYRIAD PENDANT 4000K REMOTE PHDIM SIL 2049588

Nominal Product Length (mm)	75
Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Nominal Product Diameter (mm)	75
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.45


Packaging

Single packaging type	Carton
Product EAN number	5025768495887
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY





TECHNICAL DRAWINGS




Myriad V Solid State Pendant - Silver - Remote Gear MYRIAD PENDANT 4000K REMOTE PHDIM SIL 2049588


Concord 2049588


 This luminaire contains built in LED lamps.

 } **LED**


The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.

 } **LED**

The lamps cannot be changed in the luminaire.

Concord 2049588 

874/2012