


Myriad V Solid State Pendant - Silver - Surface Mounted

MYRIAD PENDANT 3000K SURFACE PHDIM SIL
2049550



Product features

- High-end architectural (3000K) warm white LED pendant with Phase dimmable driver and surface mounted housing, finished in a silver finish (RAL9006)



PRODUCT OVERVIEW

IPC Code	2049550
Product name	MYRIAD PENDANT 3000K SURFACE PHDIM SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number SE	7561412
E-number Norway	3290203
Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Beam Angle (°)	30
Photobiological Risk Group	-
Total power consumption (W)	10
Electrical protection	Class II
Control gear mounting	Integral
Dimmable	Yes
Housing colour	Silver
IP rating	IP20
IK rating	IK02
Product EAN number	5025768495504
Lamps	No
Included lamp	INTEGRATED LED

Myriad V Solid State Pendant - Silver - Surface Mounted

MYRIAD PENDANT 3000K SURFACE PHDIM SIL
2049550

DATA TABLE

General data

IPC Code	2049550
Product name	MYRIAD PENDANT 3000K SURFACE PHDIM SIL
Technology	LED
Mount	Ceiling pendant
Environment	Interior
General application	Hospitality,Office,Retail,Residential & Consumer
Certifications	EUNEW009
ETIM Class	EC001743
E-number SE	7561412
E-number Norway	3290203

Optical data

Fixture luminous flux (lm)	1114
Luminaire efficacy (lm/W)	111.4
LOR (%)	100
Colour temperature (K)	3000
CRI (Ra)	80
Adjustable chromaticity	N
Beam Angle (°)	30
Distribution type	Direct symmetrical
Photobiological Risk Group	-

Electrical data

Total power consumption (W)	10
Mains voltage (V)	220-240V~
Electrical protection	Class II
Control gear mounting	Integral
Transformer required	Yes
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lumen maintenance - L70 B50	50000
-----------------------------	-------

Physical data

Housing colour	Silver
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	75
Nominal Product Height (mm)	129
Max. Lamp Diameter (mm) - D	75
Weight (kg)	0.95

Packaging



Single packaging type	Carton
-----------------------	--------

Myriad V Solid State Pendant - Silver - Surface Mounted


MYRIAD PENDANT 3000K SURFACE PHDIM SIL
2049550

Product EAN number	5025768495504
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768495504
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY





TECHNICAL DRAWINGS




Myriad V Solid State Pendant - Silver - Surface Mounted *MYRIAD PENDANT 3000K SURFACE PHDIM SIL* 2049550


Concord 2049550


 This luminaire contains built in LED lamps.




The lamps cannot be changed in the luminaire.

874/2012 

 This luminaire contains built in LED lamps.



The lamps cannot be changed in the luminaire.

Concord 2049550  874/2012